

Architettura Sonora Retail Pricelist Switzerland




High-performing audio solutions and design-driven innovation inspired by Nature

B&W Group (Schweiz) GmbH Ifangstrasse 5 8952 Schlieren 043 433 61 50 www.bwgroup.ch

All prices in Swiss Francs including VAT

2020 v1.1 Effective from February, 1st 2020




pag. 37




LEGEND

| ACOUSTIC VERSION | | |
|-------------------------|------------------------------------|---|
| FaRenge | FULL RANGE ACOUSTIC EMISSION | The diffuser/s is feasible in the Full Range speaker version |
| | WIDE BAND ACOUSTIC EMISSION | The diffuser/s is feasible in the Wide Band speaker version |
| SUB I | SUBWOOFER ACOUSTIC EMISSION | The diffuser/s is feasible in the Subwoofer speaker version |
| AVAILABILITY INDICATION | | |
| S | STANDARD AVAILABILITY | The item belongs to the Standard Availability category |
| С | CUSTOM AVAILABILITY | The item belongs to the Custom Availability category |
| ENVIRONMENTAL USE | | |
| | OUTDOOR CERTIFIED | The item is certified for outdoor environments |
| LONK PROOF | ONLYINDOOR | The item is only for indoor use |
| TECHNICAL INDICATIONS | | |
| NDD SUB | SUBWOOFER NEEDED | The employment of an external subwoofer is mandatory |
| SUB | SUBWOOFER RECOMMENDED | The empoyment if and external subwoofer is strictly recommended |
| REQUIRED | DSP REQUIRED | The item necessarily requires employment of a DSP |
| SUPPLIED EQUIPMENT | EXTERNAL CROSSOVER SUPPLIED | The item is supplied together with an external Crossover (boxed) |
| LIGHTING | | |
| | LIGHTING | The item is equipped/could be equipped with lighting function |
| JOINTS | | |
| +0- | HORIZONTAL JOINT | The item is equipped with a joint allowing (only) horizontal movement |
| HORIZONTAL | | |




| Pleas | e note that price for | all the following options and accessories has to be added to the main mo | del price | | |
|--------------------|------------------------------------|--|-----------|-------|--|
| METAL ar | METAL and MARBLE FINISHING OPTIONS | | | | |
| Ref Code | | | CHF | VP/PV | |
| ICA-FRM-SAT | | All metal parts in steel 304 SATIN-finished | | 495 | |
| ICA-FRM-BLK | | All metal parts in Steel 304 MATT BLACK painted | | 415 | |
| ICA-FRM- MGRADE | | All metal parts in POLISHED, MARINE GRADE 316L Stainless Steel | | 810 | |
| ICA-FRM-BRS | | All metal parts in Brass | | 530 | |
| PLAST-ICA | | Plaster treatment for travertines | | 475 | |
| POL-ICA | | Polishing treatment for all marbles | | 395 | |
| COVER-B | | PVC Basic Envelope | | 160 | |



ONLY SUB

ICASUB-ST03

ICASUB-ST04



ST03

CARW

ST04

MARQ

-;**;;**-°oʻ

C

-;**;**;-°o

POR

Body in PREMIUM Stones ICASUB-PM Aluminium matt black painted legs See variations on Premium stones palette (page 37)

ST02

TRVW


ICARUS SUB_Premium Stones


ST01

TRVC

CUSTOMIZATION & ACCESSORIES


| | | r all the following options and accessories has to be added to the main mode | Iprice | |
|-----------------------|-----------|--|--------|-------|
| METAL ar | nd MARBLE | E FINISHING OPTIONS | | |
| Ref Code | | | CHF | VP/PV |
| ICASUB-FRM- SAT | | All metal parts in steel 304 SATIN-finished | | 160 |
| ICASUB-FRM- POL | | All metal parts in POLISHED 304 Steel | | 195 |
| ICASUB-FRM- MGRADE | | All metal parts in MARINE GRADE, POLISHED Stainless Steel 316L | | 260 |
| ICASUB-FRM - BRS | | All metal parts in Brass | | 195 |
| PLAST-ICASUB | | Plaster treatment for travertines | | 280 |
| POL-ICASUB | | Polishing treatment for all marbles | | 195 |
| COVER-B | | PVC Basic Envelope | | 110 |







^{*} prices refer to nr.2 units in a single carton box

| METAL and | MARBL | E FINISHING OPTIONS | | |
|------------------------|-------|--|--------|----------|
| Ref Code | | | CHFx2* | VP/PVx2* |
| ICAWALL-FRM- SAT | | All metal parts in steel 304 SATIN-finished | | 280 |
| ICAWALL-FRM- BLK | | Cover and plate in Steel 304 MATT BLACK painted | | 140 |
| ICAWALL-FRM- MGRADE | | All metal parts in POLISHED,MARINE GRADE Stainless Steel 316L with | | 950 |
| ICAWALL-FRM- BRS | | All metal parts in Brass | | 550 |
| PLAST- ICASUB | | Plaster treatment for travertines | | 195 |
| POL-ICASUB | | Polishing treatment for all marbles | | 140 |
| COVER-P | | PVC Premium Cover | | 95 |






| REF CODE | | | CHF | VP/PV |
|--|--|-------------------------------------|-----|--------|
| ICAWALL-4+1 CN ICAWALL-4+1 CNP | ICARUS WALL_KIT 4+1_CN (4 Icarus WALL + 1 Icarus SUB) All bodies in Concrete | ICARUS WALL KIT 4+1 | | 4'100 |
| ICAWALL-4+1 CNW | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Concrete palette (page 38) | ICARUS WALL KIT 4+1 + KA02 | | 5'700 |
| ICAWALL-4+1 | CN CNP CNW CNR RED | | | |
| ICAWALL-4+1 ST01 ICAWALL-4+1 ST02 | ICARUS WALL_KIT 4+1_Basic S. (4 Icarus WALL + 1 Icarus SUB) All bodies in Concrete | ICARUS WALL KIT 4+1 | | 10'100 |
| ICAWALL-4+1 ST03 | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Basic stones palette (page 37) | ICARUS WALL KIT 4+1 + KA02 | | 11'700 |
| ICAWALL-4+1 ST04 | ST01 ST02 ST03 ST04 TRVC TRVW CARW MARO | | | |
| | ICARUS WALL_KIT 4+1_Premium (4 Icarus WALL + 1 Icarus SUB) | ICARUS WALL KIT 4+1 | | POR |
| ICAWALL-4+1 PM | All bodies in PREMIUM Stones All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Premium stones palette (page 37) | ICARUS WALL KIT 4+1 + KA02 | | POR |






| REF CODE | | CHF | VP/PV |
|--|---|-----|-------|
| ICAMLWL-CN | ICARUS MULTI-WALL_Concrete Plate in black painted metal sheet Covers and Spherical Joint in polished Steel 304 See variations on Concrete palette (page 38) | | 1'350 |
| ICAMLWL-CNR | CN CNP CNW CNR RED CNR | | |
| ICAMLWL-ST01 ICAMLWL-ST02 ICAMLWL-ST03 ICAMLWL-ST04 | ICARUS MULTI-WALL_Basic Stones Plate in black painted metal sheet Covers and Spherical Joint in polished Steel 304. See variations on Basic stones palette (page 37) ST01 ST02 ST03 ST04 TRVC TRVW SCARW MARO | | 2'400 |
| ICAMLWL-PM | ICARUS MULTI-WALL_Premium Stones ICARUS MULTI-WALL_Premium Stones Plate in black painted metal sheet Covers and Spherical Joint in polished Steel 304 See variations on Premium stones palette (page 37) | | POR |


| Please note that pr | rice for all the following options and accessories has to be added to the m | ain model price | |
|------------------------|---|-----------------|-------|
| METAL and MAR | BLE FINISHING OPTIONS | | |
| Ref Code | | CHF | VP/PV |
| ICAMLWL-FRM- BLK | Cover and plate in Steel 304 MATT BLACK painted | | 140 |
| ICAMLWL-FRM- POL | All metal parts in POLISHED Stainless Steel 304 | | 195 |
| ICAMLWL-FRM- SAT | All metal parts in steel 304 SATIN-finished | | 340 |
| ICAMLWL-FRM- MGRADE | All metal parts in MARINE GRADE, POLISHED Stainless Steel 316L | | 1'090 |
| ICAMLWL-FRM- BRS | All metal parts in Brass | | 340 |
| PLAST- ICAMLWL | Plaster treatment for travertines | | 120 |
| POL-ICAMLWL | Polishing treatment for all marbles | | 95 |






| REF CODE |] | CHF | VP/PV |
|---|--|-----|-------|
| ICAMLWL-2+1 CN ICAMLWL-2+1 CNP | ICARUS MultiWall_KIT 2+1_CN ICARUS MULTI WALL + 1 Icarus SUB) All bodies in Concrete | | 3'700 |
| ICAM LWL-2+1 CNW | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Concrete palette (page 38) CN CNP CNP CNW CNR CNR | | 5'400 |
| CNR | GREY BLACK WHITE RED | | |
| ST01 | ICARUS MultiWall_KIT 2+1_Basic S. ICARUS MULTI-WALL + 1 Icarus SUB) All bodies in Concrete | | 7'750 |
| ICAMLWL-2+1 ST03 | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Basic stones palette (page 37) KIT 2+1 + KA02 | | 9'300 |
| ICAMLWL-2+1 ST04 | ST01 ST02 ST03 ST04 Image: ST04 TRVC TRVW CARW MARQ Image: ST04 | | |
| | ICARUS MULTI-WALL_KIT 2+1_Premium (2 I carus MULTI-WALL + 1 I carus SUB) | | POR |
| ICAMLWL-2+1 PM | All bodies in PREMIUM Stones All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Premium stones palette (page 37) | | POR |






Please note that price for all the following options and accessories has to be added to the main model price

| METAL an | | E FINISHING OPTIONS | | |
|------------------------|-------------|---|-----|-------|
| Ref Code | | | CHF | VP/PV |
| ICAMLST-FRM- BLK | 3 8- | All metal parts in Steel 304 MATT BLACK painted | | 140 |
| ICAMLST-FRM- SAT | 8 | All metal parts in steel 304 SATIN-finished | | 420 |
| ICAMLST-FRM- MGRADE | | All metal parts in MARINE GRADE, POLISHED Stainless Steel 316L with | | 695 |
| ICAMLST-FRM- BRS | | All metal parts in Brass | | 550 |
| PLAST-ICAMLST | | Plaster treatment for travertines | | 240 |
| POL-ICAMLST | | Polishing treatment for all marbles | | 195 |
| COVER-B | | PVC Basic Envelope | | 160 |





| REF CODE | | | CHF | VP/PV |
|--|---|---|-----|--------|
| ICAMLST-2+1 CN ICAMLST-2+1 CNP | ICARUS MultiStand_KIT 2+1_CN (2 I carus MultiStand + 1 I carus SUB) All bodies in Concrete | ICARUS MULTISTAND KIT 2+1 | | 4'900 |
| ICAMLST-2+1 CNW ICAMLST-2+1 CNR | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Concrete palette (page 38) CN GREY BLACK CNP CNW WHITE CNR RED | ICARUS MULTISTAND KIT 2+1 + KA02 | | 6'600 |
| ICAMLST-2+1 ST01 ICAMLST-2+1 ST02 | C C C C C C C C C C C C C C C C C C C | ICARUS MULTISTAND KIT 2+1 | | 11'100 |
| ICAMLST-2+1 ST03 ICAMLST-2+1 ST04 | (and matt black painted for Icarus Sub) See variations on Basic stones palette (page 37) ST01 ST02 TRVW CARW CARW MARO | ICARUS MULTISTAND KIT 2+1 + KA02 | | 12'900 |
| ICAMLST-2+1 | ICARUS MultiStand_KIT 2+1_Premium (2 Icarus MultiStand + 1 Icarus SUB) All bodies in Concrete | ICARUS MULTISTAND KIT 2+1 | | POR |
| PM | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Basic stones palette (page 37) | ICARUS MULTISTAND KIT 2+1 + KA02 | | POR |


Please note that


° ICARUS MULTI STAND KITS do not contain:

° KA02 already includes the proper preset

> Cables connecting to KA02

| | Image: state stat | | 74,50cm |
|---------------------|---|-----------|---------|
| ICARUS M | ULTI GROUND | | |
| REF CODE | | CHF | VP/PV |
| ICAMLGR-CN | ICARUSMULTI GROUND_Concrete S | | |
| ICAMLGR-CNP | All metal parts in polished Steel 304 See variations on Concrete palette (page 38) | | 41700 |
| ICAMLGR-CNW | | | 1'790 |
| ICAMLGR-CNR | GREY BLACK CNP CNW CNR RED CON | | |
| ICAMLGR-ST01 | | | |
| ICAMLGR-ST02 | ICARUS MULTI GROUND_Basic Stones Image: Comparison of the store stor | | |
| ICAMLGR-ST03 | See variations on Basic stones palette (page 37) | | 3'250 |
| | ST01 ST02 ST03 ST04 MARQ | | |
| ICAMLGR-ST04 | | | |
| | ICARUS MULTI GROUND_Premium Stones | | |
| ICAMLGR-PM | All metal parts in polished Steel 304 | | POR |
| | See variations on Premium stones palette (page 37) | | |
| | | | |
| CUSTOMI | | | |
| METAL an | e note that price for all the following options and accessories has to be added to the main mo d MARBLE FINISHING OPTIONS | del price | |
| Ref Code | | CHF | VP/PV |
| ICAMLGR-FRM- | | | |
| BLK | All metal parts in Steel 304 MATT BLACK painted | | 140 |
| | | | |
| ICAMLGR-FRM- SAT | All metal parts in steel 304 SATIN-finished | | 415 |
| | | | |
| ICAMLGR-FRM- | All metal parts in MARINE GRADE, POLISHED | | 810 |
| MGRADE | 316L Stainless Steel | | 010 |
| ICAMLGR-FRM- | | | |
| BRS | All metal parts in Brass | | 550 |
| PLAST- | Plaster treatment for travertines | | 400 |
| ICAMLGR | | | 120 |
| POL-ICAMLGR | Polishing treatment for all marbles | | 95 |
| COVER-B | PVC Basic Envelope | | 160 |
| | ABLE DETAILS | | |
| | | | |
| | | | |






| REF CODE | | | CHF | VP/PV |
|--|--|--|-----|--------|
| ICAMLGR-2+1 CN ICAMLGR-2+1 CNP | ICARUS MultiStand_KIT 2+1_CN (2 I carus MultiStand + 1 I carus SUB) All bodies in Concrete | ICARUS MultiGround KIT 2+1 | | 4'400 |
| ICAMLGR-2+1 CNW ICAMLGR-2+1 CNR | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Concrete palette (page 38) CN GREY BLACK CNP CNW WHITE CONR RED | ICARUS MultiGround KIT 2+1 + KA02 | | 6'100 |
| ICAMLGR-2+1 ST01 ICAMLGR-2+1 ST02 | C C ICARUS MultiStand_KIT 2+1_Basic S. (2 I carus MultiStand + 1 I carus SUB) All bodies in Concrete All metal parts in polished Steel 304 | ICARUS MultiGround KIT 2+1 | | 9'250 |
| ICAMLGR-2+1 ST03 ICAMLGR-2+1 ST04 | (and matt black painted for Icarus Sub) See variations on Basic stones palette (page 37) STO1 STO2 TRVC TRVW CARW MARG | ICARUS MultiGround KIT 2+1 + KA02 | | 10'900 |
| ICAMLGR-2+1 | C & C & C & C & C & C & C & C & C & C & | ICARUS MultiGround KIT 2+1 | | POR |
| | All metal parts in polished Steel 304 (and matt black painted for Icarus Sub) See variations on Basic stones palette (page 37) | ICARUS MultiGround KIT 2+1 + KA02 | | POR |

Please note that


° ICARUSMULTI GROUND KITS do <u>not</u> contain:

° KA02 already includes the proper preset

> Cables connecting to KA02



a single carton box




Please note that price for all following options and accessories has to be added to the main model price


| LIGTHING MOOD | | | | | |
|---------------|--|--|-----|-------|--|
| Ref Code | | | CHF | VP/PV | |
| CY-LM | | Light Solution Addition of a Led Strip in a special notch around the loudspeaker area. The Light spreads in the lower part of the product, due to the reflection of the deflector. Supplied with multivoltage power supply 3000 K - NO RGB | | 260 | |


| BASE OPT | IONS | | | |
|-----------|------|--|-----|-------|
| Ref Code | | | CHF | VP/PV |
| CYBS-SLV | | Aluminium silver painted base | | 125 |
| CYBS-RAL | | Aluminium base painted in other RAL colors | | 160 |
| CYBS-INX | | Stainless Steel 316L base (satin or gunmetal finishing) | | 1'190 |
| CY-MGRADE | | MARINE GRADE, POLISHED Stainless Steel 316L base | | 1'200 |
| CYBS-BRS | | Brass base | | 990 |

| ACCESSORIE | S | | | |
|------------|---|-----------------------------------|-----|-------|
| Ref Code | | | CHF | VP/PV |
| PLAST450 | | Plaster treatment for travertines | | 280 |
| POL450 | | Polishing treatment for marbles | | 240 |
| AF-VER | J | Anti-theft for Grass land* | | 130 |
| SP-VER | | Sand proof system | | 210 |
| COVER-B | ľ | PVC Basic Envelope | | 85 |


* Hard floor Anti-theft system is also available (info on request)







units in a single carton box




Please note that price for all following options and accessories has to be added to the main model price


| LIGTHING MOOD | | | | | |
|---------------|---|-----|-------|--|--|
| Ref Code | | CHF | VP/PV | | |
| CY-LM | Light Solution Addition of a Led Strip in a special notch around the loudspeaker area. The Light spreads in the lower part of the product, due to the reflection of the deflector. Supplied with multivoltage power supply 3000 K - NO RGB | | 240 | | |


| BASE OPT | IONS | | | |
|-----------|------|--|-----|-------|
| Ref Code | | | CHF | VP/PV |
| CYBS-SLV | | Aluminium silver painted base | | 130 |
| CYBS-RAL | | Aluminium base painted in other RAL colors | | 160 |
| CYBS-INX | | Stainless Steel 316L base (satin or gunmetal finishing) | | 990 |
| CY-MGRADE | | MARINE GRADE, POLISHED Stainless Steel 316L base | | 1'190 |
| CYBS-BRS | | Brass base | | 990 |

| ACCESSORIES | | |
|--|-----|-------|
| Ref Code | CHF | VP/PV |
| PLAST550 Plaster treatment for travertines | | 280 |
| POL550 Polishing treatment for marbles | | 240 |
| AF-VER Anti-theft for Grass land* | | 130 |
| SP-VER Sand proof system | | 210 |
| COVER-B PVC Basic Envelope | | 85 |

* Hard floor Anti-theft system is also available (info on request)









| Ple | ase note that price f | or all following options and accessories has to be added to the main mode | el price | |
|----------|-----------------------|---|----------|-------|
| LIGTHING | MOOD | | • | |
| Ref Code | | | CHF | VP/PV |
| SF-LM | | Light Solution Addition of a Led Strip in a special notch around the loudspeaker area. The Light spreads in the lower part of the product, due to the reflection of the deflector. Supplied with multivoltage power supply 3000 K - NO RGB | | 260 |


| BASE OPT | IONS | | | |
|-----------|-----------|--|-----|-------|
| Ref Code | | | CHF | VP/PV |
| SFBS-SLV | \square | Three-leg, silver painted brass base | | 240 |
| SFBS-RAL | | Three-leg brass base painted in other RAL colors | | 295 |
| SFBS-POL | \square | Three-leg Stainless Steel 316L base (satin or gunmetal finishing) | | 495 |
| SF-MGRADE | \square | MARINE GRADE, POLISHED Stainless Steel 316L base | | 725 |
| SFBS-BRS | \square | Three-leg brass base | | 295 |
| SFBS-CLAS | | Classic stainless steel black/silver painted base* | | 495 |
| SFBS-BRS | | Classic brass base* | | 495 |
| | | * watertight cable gland (WCG) not available for classic bases | | |


| ACCESSO | RIES | | | |
|-----------|------|---|-----|-------|
| Ref Code | | | CHF | VP/PV |
| PLAST360 | | Plaster Treatment for Travertines 360mm | | 315 |
| POL360 | | Polishing treatment for marbles | | 250 |
| VHGRS-VER | JIL | Anti-theft for Grass land | | 395 |
| VHFLR-VER | | Anti-theft for Hard floor | | 275 |
| SP-VER | | Sand proof System | | 210 |
| COVER-B | | PVC Basic Envelope | | 155 |
| COVER-P | | PVC Premium Cover | | 350 |












carton box

CUSTOMIZATION & ACCESSORIES


Please note that price for all options and accessories has to be added to the main model price


| ACCESSO | RIES | | | |
|----------|------|---------------------------|-----|-------|
| Ref Code | | | CHF | VP/PV |
| AF-VER | | Anti-theft for Grass land | | 125 |
| SP-VER | | Sand proof system | | 210 |
| COVER-B | | PVC Basic Envelope | | 85 |
| COVER-P | (E) | PVC Premium Cover | | 220 |







The Shine Line Special Edition features concrete bodies enriched by the ancient "Gilding" technique, an ornamental decoration method, largely widespread in medieval art and architecture, to embellish an object through the application of a very thin layer of gold, called "gold leaf".








| ACCESSO | RIES | | | |
|----------|------|---------------------------|-----|-------|
| Ref Code | | | CHF | VP/PV |
| AF-VER | | Anti-theft for Grass land | | 125 |
| SP-VER | | Sand proof system | | 210 |
| COVER-B | | PVC Basic Envelope | | 85 |








| | | ACCESSORIES or all following options and accessories has to be added to the main mode | al price | |
|----------|---------|---|----------|-------|
| | NG MOOD | | | |
| Ref Code | | | CHF | VP/PV |
| CB-LM | | Light Solution Addition of a Led Strip in a special notch around the loudspeaker area. The Light spreads in the lower part of the product, due to the reflection of the deflector. Supplied with multivoltage power supply <i>3000 K - NO RGB</i> | | 410 |

| BASE OPT | IONS FOR A | LL CUBES (DEFLECTOR IN METAL) | | |
|-----------------|------------|--|-----|-------|
| Ref Code | | | CHF | VP/PV |
| CBBS-SLV | | Steel 304 silver painted base and deflector in metal | | 360 |
| CBBS-RAL | | Steel painted in other RAL colors base and deflector in metal | | 435 |
| CBBS-INX | | Stainless Steel 316L base (satin finishing) and deflector in metal | | 990 |
| CB-MGRADE | | MARINE GRADE, POLISHED Stainless Steel 316L base and deflector in metal | | 1'250 |
| CBBS-BRS | | Brass base and deflector in metal | | 2'100 |

| BASE OPTIONS ONLY FOR CUBES IN CONCRETE (DEFLECTOR IN CONCRETE) | | | | | | |
|--|--|-----|-------|--|--|--|
| Ref Code | | CHF | VP/PV | | | |
| CBBS-INXCN | Stainless Steel 316L base (satin finishing) and deflector in concrete | | 550 | | | |
| CBBS-BRSCN | Brass base and deflector in concrete | | 950 | | | |


| ACCESSORIES | | | | | |
|-------------|---|-------------------------------------|-----|-------|--|
| Ref Code | | | CHF | VP/PV | |
| PLAST400 | | Plaster treatment for travertines | | 460 | |
| POL400 | | Polishing treatment for all marbles | | 350 | |
| SP-VER | | Sand proof System | | 210 | |
| COVER-P | Ŵ | PV C Premium Cover | | 290 | |



ONLY SUB 400 400 560 SUB CUBE 2LV SUB 400 REF CODE CHF VP/PV CB2LV-CN S Cube 2LV Sub_Concrete CB2LV-CNP ġ. Aluminium black painted legs See variations on concrete palette (page 38) 3'050 CB2LV-CNW CN CNP CNW CNR ÷;- ° GREY BLACK WHITE RED CB2LV-CNR CB2LV-ST01 С Cube 2LV Sub_Basic Stones CB2LV-ST02 Steel 304 black painted base 7'600 See variations on basic stones palette (page 37) CB2LV-ST03 ST01 ST02 ST03 ST04 -<u>;;</u>-°o TRVC TRVW CARW MARQ CB2LV-ST04 С Cube 2LV Sub_Premium Stones Steel 304 black painted base CB2LV-PM POR See variations on premium stones palette (page 37) T -**::**-°a

CUSTOMIZATION & ACCESSORIES

| Ple | ase note that price for all folowing options and accessories has to be added to the main model | price | |
|--------------|--|-------|-------|
| LEGS OPT | IONS | | |
| Ref Code | | CHF | VP/PV |
| LEGS-INX | Legs in Steel 316L (satin or gunmetal finishing) | | 160 |
| LEGS-BRS | Legs in Brass | | 230 |
| ACCESSO | RIES | | |
| Ref Code | | CHF | VP/PV |
| PLAST400-2LV | Plaster treatment for travertines | | 790 |
| POL400-2LV | Polishing treatment for marbles | | 650 |
| SP-VER | Sand proof system | | 210 |
| COVER-P | PVC Premium Cover | | 295 |





| | 0198 | 0 1212 0 1212 |
|---------|------|------------------------|
| PERGOLA | | NDD |

| REF CODE | | CHF | VP/PV |
|----------|--|-----|-------|
| PERGO-LA | Pergola_Line Array_Carbon Fiber Satellite module Outdoor applications DSP required | | 6'300 |
| PERGO-PS | Pergola_Point Source_Carbon Fiber Satellite module Outdoor applications Suppplied with external crossover (boxed) | | 6'500 |

| Ref Code | | | CHF | VP/PV |
|----------|-----|--|-----|-------|
| BODY-PNT | | Painting other RAL (only body with black grid) | | 690 |
| HSTD | j 🕕 | Standard ceiling Anchoring (2 pcs) | | 0 |
| C12 | T | Simple Ceiling Stainless Steel Hanging | | 95 |
| T12 | | Tube Aluminium Hanging | | 140 |
| HSM | • | Ceiling vertical Iron | | 220 |
| НРМ | Ţ | Ceiling vertical Steel | | 495 |
| HDG-SELF | | Floorstanding Steel base | | 890 |
| SP-VER | | Sand proof Filter | | 260 |
| COVER-P | | PVC Premium Cover | | 425 |

See all details for Hanging Tube Systems on page 36





electric cable

Voltage 90-260 VAC

792


 \bigcirc

amplifier

bipolar audio cable

| | | Q 600 | 950 950 200 |
|------------------|--|----------|----------------|
| CYLINDER TABLE_4 | 450 | Ŷ | |
| REF CODE | | CI | HF VP/PV |
| TABCYL-CN | Tall Cylinder Table_Concrete Aluminium black painted base | S | |
| TABCYL-CNP | <u>Clear or Smoked</u> Table glass Lighting led strip included (3000 K - | | 2'400 |
| TABCYL-CNW | NO RGB) See variations on concrete palette (page 38) | | |
| TABCYL-CNR | CN CNP CNW WHITE CORR RED | -;¢:- °° | #NV |
| TABCYL-ST01 | Tall Cylinder Table_Basic Stones | С | 214.0 |
| TABCYL-ST02 | Clear or Smoked Table glass Lighting led strip included (3000 K - | | 4'200 |
| TABCYL-ST03 | NO RGB) See variations on Basic stones palette (page 37) | | 4 200 |
| TABCYL-ST04 | ST01 ST02 ST03 ST04 TRVC TRVW CARW MARQ | -;×;-°ô° | |
| TABCYL-PM | Tall Cylinder_Premium Stones Aluminium black painted base Clear or Smoked Table glass Lighting led strip included (3000 K - NO RGB) See variations on Premium stones palette (page 37) | С **° | POR |

Please check all the base, lighting and finishing options on page 14



amplifier

bipolar audio cable

from below, the

electrical one; refer to the following

acoustic and

scheme for installation.

Voltage 90-260 VAC


external


power supply

electric cable




| REF CODE | | | | CHF | VP/PV |
|----------|--|---------------------------------------|----------|-----|-------|
| TAB-APO | Apollo outdoor fireplace table painted body (black or white) glass bioethanol | Sonic Metal Smoked Fueled by | C ×°° | | 6'000 |








units in a single carton box






The Shine Line Special Edition features concrete bodies enriched by the ancient "Gilding" technique, an ornamental decoration method, largely widespread in medieval art and architecture, to embellish an object through the application of a very thin layer of gold, called "gold leaf".

Architettura Sonora offers three different kinds of Gilding: in Gold, Copper and Silver leaf.






| CUSTO | MIZATION & | ACCESSORIES | | |
|----------|-------------|---|-------|-------|
| | | all the following options and accessories has to be added to the main model | price | |
| | NG TUBE SYS | | | |
| Ref Code | | | CHF | VP/PV |
| HSTD | | Simple Hangings (Aluminium) F12; FK12; K12 | | 80 |
| C12 | T | Simple Ceiling Stainless Steel Hanging | | 95 |
| T12 | | Tube Aluminium Hanging | | 140 |
| HSM | - | Iron Hanging not orientable | | 220 |
| НРМ | - | Steel Hanging not orientable | | 495 |
| H45D | P | Orientable 45 Steel Hanging | | 495 |
| H90D | | Orientable 90 Steel Hanging | | 650 |
| HWSP | | Widening Plate for orientable hanging | | 28 |

See all details for Hanging Tube Systems on page 36

| ACCESSORIES | | | | | |
|-------------|---|-----------------------------------|-----|-------|--|
| Ref Code | | | CHF | VP/PV | |
| SP-VER | | Sand proof system | | 210 | |
| COVER-P | | PV C Premium Cover | | 220 | |
| RSW | 8 | Ceiling Rose - Matt White version | | 28 | |






REF CODE SMDRP




SUB С Small Drop Composite material (black or white) 5' 500 Supplied with external crossover (boxed) ;**;;**-°a


CHF


VP/PV




| REF CODE | | | CHF | VP/PV |
|----------|--|-----------------------|-----|-------|
| SMHLM | Small Helmet material (black or white) with external crossover (boxed) | Composite Supplied | | 4'950 |








| REF CODE | | | ER, CI | HF | VP/PV |
|-----------------|---|--|-----------|----|-------|
| DROP | 1 | Drop Composite material (black or white) | a C به | | 6'900 |







| CUSTOMIZATION & ACCESSORIES Please note that price for all following options and accessories has to be added to the main model price HANGING TUBE SYSTEMS | | | | | |
|---|------|---|--|-----|--|
| | | | | | |
| SUSP-RAL | | Painting others RAL | | POR | |
| HSTD | T 10 | Simple hanging typologies (Aluminium) F12; FK12; K12 | | 80 | |
| C12 | T | Simple Ceiling Stainless Steel Hanging | | 95 | |
| T12 | | Tube Aluminium Hanging | | 140 | |
| HSM | - | Iron hanging not orientable | | 220 | |
| НРМ | - | Steel hanging not orientable | | 495 | |
| H45D | 9 | Orientable 45 steel hanging | | 495 | |
| H90D | | Orientable 90 steel hanging | | 650 | |
| HWSP | | Widening plate for orientable hanging | | 80 | |

See all details for Hanging Tube Systems on page 36

| ACCESSORIES | | | | |
|-------------|----|--|-----|-------|
| Ref Code | | | CHF | VP/PV |
| SP-VER | | Sand proof System* | | 280 |
| COVER-PS | me | PVC Premium Cover small (for Small Drop/S. Helmet) | | 465 |
| COVER-PL | | PVC Premium Cover large (for Shark/Drop) | | 610 |

*Not available for Shark






| ASAMPLIFIERS_Master Volume Ice Power Technology - fitted with table top mounting accessories, rack mounting kit included | | | | | | |
|---|---|--|--|--|-----|-------|
| REF CODE | | | | | CHF | VP/PV |
| ASM2EVO | • 0 0 • 0 0 • 0 0 • 0 0 • 0 0 | | | AS-M2EVO 2 ch x 1000W @4Ω Proprietary Audio processor | | 2'650 |

| POWERSOFT AMPLIFIERS | | | | | | |
|----------------------|---|---------------|-------|--|--|--|
| REF CODE | | CHF | VP/PV | | | |
| PS2404DSP | QUATTROCANALI 2404 DSP-4 4x600W Amplifier Platfor (@4Ω and @80 Armonia-Plus System Manager Conter System Manager | rm Ω) ™ | 3'250 | | | |
| PSM EZ324 | MEZZO 324 DSP A+ Image: Constant of the second secon | ג) | 1'250 | | | |
| PSM EZ604 | MEZZO 604 Δ <th< th=""><th>Ω)</th><th>1'600</th></th<> | Ω) | 1'600 | | | |


| KARRAY KOMMANDER | | | | | | |
|------------------|---|-----|-------|--|--|--|
| ASPROPERTY | PRESETS | | | | | |
| REF CODE | | CHF | VP/PV | | | |
| KA02 | KOMMANDER-KA02 Small-scale 4-channel Class D amplifier with wireless connectivity and onboard multimedia apps Image: Spotty Content of Spotty | | 1'600 | | | |






A.S. KITS

| REF CODE | | CHF | VP/PV |
|-------------|---|-----------------------|-------|
| ASKIT-BASIC | A.S. Basic Sample Kit This Basic Sample Kit folde is the most practical too to show the variety and qualit of finishings of the A.S. material | r / | 250 |
| ASKIT-PM | A.S. Premium Sample Ki This elegant A.S. woode Premium Sample Kit box is the the best tool to hold a range of our exclusive stones concretes, wood and metal in your hand and get a feel of th various qualities and surface finisher | n (1 ; ; | 700 |
| ASMNT | A.S. Professional Maintenance kit (only for land shipments in the European Union) AS provides customers with a professiona Maintenance Kit to keep your speakers beautifu as long as possible The kit includes professional product to treat stone, metal woo and composite materials We warmly recommend doing maintenance at leas once a year | - - - - | 550 |





* THE OPEN POROUS FINISHING IS NOT SUITABLE FOR VERY COLD OUTSIDE TEMP ENVIRONMENTS (WHERE IT CAN FORM ICE). IN ORDER TO AVOID POSSIBLE DAMAGES CAUSED BY ICE, A PLASTER TREATMENT IS AVAILABLE UNDER REQUEST.

HANGING TUBE SYSTEMS FOR SUSPENDED MODELS

